

**WANPU**

Room 902, Tower B, Van Metropolis Building,  
No.35 Tangyan Road, Xi'an, China

TEL: +86 029 8881 5624 FAX: +86 029 88815624

E-mail: alex.autoway@gmail.com

Xi'an Wanpu Import And Export Trading Co.,Ltd



20  
26

**WE NEVER STOP FIGHTING**

XI'AN WANPU IMPORT AND EXPORT TRADING CO., LTD

### BATTERY CHARGER

ART.No. **6001**  
 Input: 230V,50HZ  
 Output: 6V/12V,1A



### BATTERY CHARGER

ART.No. **6005**  
 Input voltage:AC110-220V  
 Output:DC12V/24V



### BATTERY CHARGER

ART.NO. **BC1223**  
 Battery charger power: 75W  
 Input voltage: AC110-220V (50-60hz)  
 Output voltage: DC13.8-15.5V  
 Output current: DC 6A (maximum)  
 Output clip line length: 60CM  
 Power line length: 80CM  
 Application: 12V 2ah-100ah lead-acid battery

RoHS



### BATTERY CHARGER

ART.NO. **B6004**  
 12V for 4AH-120AH  
 6V for 4AH -30AH  
 Microprocessor control (CPU)  
 Cooling: natural cooling  
 Input voltage: 180-260VAC, 50-60HZ  
 Rated output: 12V DC 0.8A and 4A, 6V DC 0.8A  
 Minimum starting voltage: 2.0V  
 Thermal protection: 65 C +/-5'C  
 Efficiency: App 85%.

RoHS FC



### BATTERY CHARGER

ART.NO. **BC1279**  
 Input voltage : AC110-220V (50-60hz)  
 Output voltage : DC7.1-7.6V/13.8V-15.5V  
 Output current : DC 2A (Max)  
 Application : 6V/12V 2ah-20ah lead-acid

RoHS FC



### BATTERY CHARGER

ART.NO. **BC1235**  
 Input voltage: AC110-220V (50-60hz)  
 Output voltage: DC13.8-14.7V  
 Output current: DC 6A (max)  
 Application: 12v2ah-100ah lead-acid battery



### BATTERY CHARGER

ART.No. **BC1221**  
 Input voltage: 100-240V AC, 50-60Hz  
 Output: 12V/8A and 24V/4A



### BATTERY CHARGER

ART.NO. **BC1230**  
 Input voltage: AC110-220V (50-60hz)  
 Output voltage: DC7.1-7.6V/13.8V-15.5V  
 Output current: 6V-3A (Max) 12V-6A (Max)  
 Application: 6V 2-50ah lead-acid battery  
 12V4ah-100ah lead-acid battery

RoHS FC



### BATTERY CHARGER

ART.No. **BC1220**  
 Input voltage: 100-240V AC, 50-60Hz  
 Output : DC12V/5A



### BATTERY CHARGER

ART.NO. **BC1283**  
 Input voltage: 110-220V  
 Efficiency: 85%  
 Power: 250W  
 Charging voltage: 13.8-15.5V /21V-31V  
 Charging current: 12V20A/24V10A  
 Battery type: 12V&24V Wet, Gel, MF,CA,EFB,AGM,Lithium battery  
 Cooling method: Fan  
 Protection: Low voltage , Over Voltage , Reverse , short-circuit





**NEW**

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2240A**

4 IN 1 Jump starter with air compressor

Capacity: **7200mAh**

Type C Input: 5V/2A, 9V/2A, 12V/1.5A

USB Output: 5V/2.4A

Maximum Inflating Pressure: 150 PSI

Starter current: 400A

Peak current: 800A

Material: Plastic & ABS+pc

LED Flashlight: White Solid/White Strobe/Red Strobe/White SOS

Dimension (L\*W\*H):200\*108\*50mm

4.0L Gas & 2.5L Diesel

**RoHS**



**NEW**

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2240B**

4 IN 1 Jump starter with air compressor

Capacity: **10000mAh**

Type C Input: 5V/2A, 9V/2A, 12V/1.5A

USB Output: 5V/2.4A

Maximum Inflating Pressure: 150 PSI

Starter current: 500A

Peak current: 1000A

Material: Plastic & ABS+pc

LED Flashlight: White Solid/White Strobe/Red Strobe/White SOS

Dimension (L\*W\*H):200\*108\*50mm

6.0L Gas & 4.0L Diesel

**RoHS**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2285A**

4 IN 1 Jump starter with air compressor

Capacity: **7200mAh**

Type C Input: 5V/2A, 9V/2A, 12V/1.5A

USB Output: 5V/2.4A

Maximum Inflating Pressure: 150 PSI

Starter current: 400A

Peak current: 800A

Material: Plastic & ABS+pc

LED Flashlight: White Solid/White Strobe/Red Strobe/White SOS

Dimension (L\*W\*H):200\*108\*50mm

4.0L Gas & 2.5L Diesel

**RoHS**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2285A**

4 IN 1 Jump starter with air compressor

Capacity: **10000mAh**

Type C Input: 5V/2A, 9V/2A, 12V/1.5A

USB Output: 5V/2.4A

Maximum Inflating Pressure: 150 PSI

Starter current: 500A

Peak current: 1000A

Material: Plastic & ABS+pc

LED Flashlight: White Solid/White Strobe/Red Strobe/White SOS

Dimension (L\*W\*H):200\*108\*50mm

6.0L Gas & 4.0L Diesel

**RoHS**



**HOT!**

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2132B**

4 IN 1 Jump starter with air compressor

Capacity: **10000mAh**

Type C Input: 5V/3A,9V/2A, 12V/1.5A

USB Output 1: 5V/3A, 9V/2A, 12V/1.5A

USB Output 2: 5V/3A, 9V/2A, 12V/1.5A

Maximum Inflating Pressure: 150 PSI

Starter current: 500A

Peak current: 1000A

Material: Plastic & ABS+pc

LED Flashlight: Solid/SOS/Strobe

Dimension (L\*W\*H):184\*127\*55mm

Great for Engine: 6.0L Gas & 4.0L Diesel

**RoHS**



**HOT!**

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2132**

4 IN 1 Jump starter with air compressor

Capacity: **7200mAh**

Type C Input: 5V/3A,9V/2A, 12V/1.5A

USB Output 1: 5V/3A, 9V/2A, 12V/1.5A

USB Output 2: 5V/3A, 9V/2A, 12V/1.5A

Maximum Inflating Pressure: 150 PSI

Starter current: 400A

Peak current: 800A

Material: Plastic & ABS+pc

LED Flashlight: Solid/SOS/Strobe

Dimension (L\*W\*H):184\*127\*55mm

Great for Engine: 4.0L Gas & 2.5L Diesel

**RoHS**



NEW

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2187**

Ultra 4 IN 1 Jump starter with air compressor  
Capacity: **16000mAh**  
Type C Input/Output: (PD65W)5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A  
USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A  
Maximum Inflating Pressure: 160 PSI  
Starter current: 1000A  
Peak current: 2000A  
Material: Plastic & ABS+pc  
LED Flashlight: Solid/SOS/Strobe  
Dimension (L\*W\*H):233\*124\*55mm  
Great for Engine: 8.0L Gas & 6.0L Diesel

RoHS CE



NEW

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2186**

4 IN 1 Jump starter with air compressor  
Capacity: **12000mAh**  
Type C Input: 5V/2A,9V/2A, 12V/1.5A  
USB Output 1: 5V/3A, 9V/2A, 12V/1.5A  
USB Output 2: 5V/3A, 9V/2A, 12V/1.5A  
DC Output: 15V/10A  
Maximum Inflating Pressure: 150 PSI  
Starter current: 750A  
Peak current: 1500A  
Material: Plastic & ABS+pc  
LED Flashlight: White Solid/White Strobe  
Red Strobe/White SOS  
Dimension (L\*W\*H): 209\*112\*50mm  
Great for Engine: 7.0L Gas & 5.0L Diesel

RoHS CE



HOT!

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2022**

\*Capacity:3.7V/10000mAh(37Wh)  
\*Type-C Input:QC18W  
\*USB Output1:5V/2.1A  
\*USB Output2:QC18W  
\*starting current :500A  
\*peak current:1000A  
\*LED lighting: Panel light/SOS/Strobe/Warning 100LM  
\*Applicable to automobile battery voltage :12V  
\*Less than 5.0L gasoline/3.5L diesel  
\*The atmospheric pressure:150Psi  
\*cylinder block specifications:19 cylinder (About 20L/MIN gas flow)  
Jump starter/EC5 jumper cable/Storage bag/User manual/Charging cable /Gas Needle/Gas Nozzle/Air tube

RoHS CE



HOT!

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2023**

OEM Jump Starter  
\*Capacity:3.7V/12000mAh(44.4Wh)  
\*Type-C Input:QC18W  
\*USB Output1:5V/2.1A  
\*USB Output2:QC18W  
\*starting current :750A  
\*peak current:1500A  
\*LED lighting: Panel light/SOS/Strobe/Warning 100LM  
\*Applicable to automobile battery voltage :12V  
\*Less than 6.0L gasoline/4.5L diesel  
\*The atmospheric pressure:150PSI  
\*cylinder block specifications:25mm cylinder (≥25L/MIN gas flow)  
\*Product size:217.7\*120\*76.9mm  
\*Weight/box:KGS

RoHS CE



NEW

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2041**

Capacity: **8000mAh** 29.60Wh  
Starting current: 400A  
Peak current 1000A  
USB-A 1 output: 5V-3A,9V-2A, 12V-1.5A(QC3.0)  
USB-A 2 output: 5V-2A  
USB-C input/output: 5V-2A, 9V-2A LED with 3 lighting modes  
Cylinder diameter: 22 cylinders

RoHS CE



NEW

### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2046**

OEM Jump Starter  
\*Capacity:40000mAh/148Wh  
\*Input:18V/1A  
\*Output:5V/2.1A  
\*starting current :2000A  
\*peak current:4000A  
\*LED lighting: Light/SOS/Warning  
\*Applicable to automobile battery voltage :24V  
\*1L-8L -All Gasoline and diesel  
\*Dimension:260.41\*120\*132.78mm

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2143A**  
Capacity: **6000mAh**  
Working voltage:14.8V  
Cylinder:19MM  
Pressure range:0.35-10.3Bar/5-150PSI  
USB output:5V/2A  
Starter current:400A  
Peak current:800A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2211**  
Capacity: **6000mAh**  
Working voltage:14.8V  
Cylinder:19MM  
Pressure range:0.55-10.3Bar/8-150PSI  
USB output:5V/3A;9V/2A;12V/1.5A  
Starter current:400A  
Peak current:800A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2143A**  
Capacity: **8000mAh**  
Working voltage:14.8V  
Cylinder:19MM  
Pressure range:0.35-10.3Bar/5-150PSI  
USB output:5V/2A  
Starter current:500A  
Peak current:1000A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2211**  
Capacity: **8000mAh**  
Working voltage:14.8V  
Cylinder:19MM  
Pressure range:0.55-10.3Bar/8-150PSI  
USB output:5V/3A;9V/2A;12V/1.5A  
Starter current:500A  
Peak current:1000A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2143A**  
Capacity: **10000mAh**  
Working voltage:14.8V  
Cylinder:19MM  
Pressure range:0.35-10.3Bar/5-150PSI  
USB output:5V/2A  
Starter current:500A  
Peak current:1000A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2211**  
Capacity: **10000mAh**  
Working voltage:14.8V  
Cylinder:19MM  
Pressure range:0.55-10.3Bar/8-150PSI  
USB output:5V/3A;9V/2A;12V/1.5A  
Starter current:500A  
Peak current:1000A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2273**  
Capacity: **6000mAh**  
Working voltage:14.8V  
Cylinder:22MM  
Pressure range:0.2-10.3Bar/3-150PSI  
USB output:5V/2.4A;9V/2A;12V/1.5A  
Starter current:400A  
Peak current:800A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2276**  
Capacity: **8000mAh**  
Working voltage:14.8V  
Cylinder:22MM  
Pressure range:0.35-10.5Bar/5-150PSI  
USB output:5V/2.4A  
Starter current:500A  
Peak current:1000A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2273**  
Capacity: **8000mAh**  
Working voltage:14.8V  
Cylinder:22MM  
Pressure range:0.2-10.3Bar/3-150PSI  
USB output:5V/2.4A;9V/2A;12V/1.5A  
Starter current:500A  
Peak current:1000A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2276**  
Capacity: **10000mAh**  
Working voltage:14.8V  
Cylinder:22MM  
Pressure range:0.35-10.5Bar/5-150PSI  
USB output:5V/2.4A  
Starter current:500A  
Peak current:1000A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2273**  
Capacity: **10000mAh**  
Working voltage:14.8V  
Cylinder:22MM  
Pressure range:0.2-10.3Bar/3-150PSI  
USB output:5V/2.4A;9V/2A;12V/1.5A  
Starter current:500A  
Peak current:1000A

**RoHS CE**

**HOT!**



### JUMP STARTER&AIR COMPRESSOR

ART.No. **EP2276**  
Capacity: **12000mAh**  
Working voltage:14.8V  
Cylinder:22MM  
Pressure range:0.35-10.5Bar/5-150PSI  
USB output:5V/2.4A  
Starter current:750A  
Peak current:1500A

**RoHS CE**



### JUMP STARTER

ART.No. **EP2138A**  
 Capacity: **7200mAh**  
 Type C Input: 5V/1.5A  
 Output: 5V/2.1A  
 Starter current: 400A  
 Peak current: 800A  
 Material: PC+ABS/V0  
 Dimension (L\*W\*H):158\*84.5\*33mm  
 Function: Auto 12V emergency starter  
 Powerful USB power bank, Built-in LED Flashlight  
 Great for Engine: 4.0L Gas & 2.5L Diesel

RoHS CE



### JUMP STARTER

ART.No. **EP2138B**  
 Capacity: **10000mAh**  
 Type C Input: 5V/1.5A  
 Output: 5V/2.1A  
 Starter current: 500A  
 Peak current: 1000A  
 Material: PC+ABS/V0  
 Dimension (L\*W\*H):158\*84.5\*33mm  
 Function: Auto 12V emergency starter,  
 Powerful USB power bank, Built-in LED Flashlight  
 Great for Engine: 6.0L Gas & 4.0L Diesel

RoHS CE



### JUMP STARTER

ART.No. **EP2278A**  
 Capacity: **12000mAh**  
 Specifications:  
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A  
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A  
 Start Current: 750A  
 Peak Current: 1500A  
 Material: PC+ABS  
 LED Flashlight: White Solid/White Strobe/  
 White SOS  
 Working temperature: -20°C-60°C  
 7.0L Gas & 5.0L Diesel

RoHS CE



### JUMP STARTER

ART.No. **EP2278B**  
 Capacity: **16000mAh**  
 Specifications:  
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A  
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A  
 Start Current: 1000A  
 Peak Current: 2000A  
 Material: PC+ABS  
 LED Flashlight: White Solid/White Strobe/  
 White SOS  
 Working temperature: -20°C-60°C  
 8.0L Gas & 6.0L Diesel

RoHS CE



### JUMP STARTER

ART.No. **EP2185**  
 Jump Starter with LCD display  
 Capacity: **10000mAh**  
 Specifications: 3 USB ports + 1 DC port  
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A  
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A  
 DC Output: 15V/10A  
 Start Current: 500A  
 Peak Current: 1000A  
 Material: PC+ABS  
 LED Flashlight: White Solid/White Strobe/Orange Strobe/  
 White SOS  
 Working temperature: -20°C-60°C  
 Great for Engine: 6.0L Gas & 4.0L Diesel

RoHS CE



### JUMP STARTER

ART.No. **EP2185**  
 Jump Starter with LCD display  
 Capacity: **12000mAh**  
 Specifications: 3 USB ports + 1 DC port  
 Type C Input: 5V/2A, 9V/2A, 12V/1.5A  
 USB Output 1&2: (QC18W) 5V/3A, 9V/2A, 12V/1.5A  
 DC Output: 15V/10A  
 Start Current: 750A  
 Peak Current: 1500A  
 Material: PC+ABS  
 LED Flashlight: White Solid/White Strobe/Orange Strobe/  
 White SOS  
 Working temperature: -20°C-60°C  
 Great for Engine: 7.0L Gas & 5.0L Diesel

RoHS CE



### JUMP STARTER

ART.No. **EP2133B**

LCD Screen/Big Capacity/PD65W

Capacity: **16000mAh**

Type C Input/Output: (PD65W)5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

USB Output 1: 5V/3A, 9V/2A, 12V/1.5A

USB Output 2: 5V/3A, 9V/2A, 12V/1.5A

DC Output: 15V/10A

Starter current: 1000A

Peak current: 2000A

Material: Plastic & ABS+pc

Dimension (L\*W\*H):243\*113\*66mm

Function: Auto 12V emergency starter

Powerful USB power bank, Built-in LED Flashlight

8.0L Gas & 6.0L Diesel

**RoHS CE**



### JUMP STARTER

ART.No. **EP2195**

\*Capacity:3.7V/**8000mAh**(29.6Wh)

\*Type-C Input:QC18W

\*USB Output1:5V/2.1A

\*USB Output2:QC18W

\*starting current :400A

\*peak current:800A

\*LED lighting: Light/SOS/Strobe 100LM

\*Applicable to automobile battery voltage :12V

\*Less than 4.0L gasoline/2.5L diesel

\*Dimension:186.9\*86.6\*39.1mm

**RoHS CE**



### JUMP STARTER

ART.No. **EP2133B**

LCD Screen/Big Capacity/PD65W

Capacity: **20000mAh**

Type C Input/Output:

PD65W)5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

JSB Output 1: 5V/3A, 9V/2A, 12V/1.5A

JSB Output 2: 5V/3A, 9V/2A, 12V/1.5A

DC Output: 15V/10A

Starter current: 1500A

Peak current: 3000A

Material: Plastic & ABS+pc

Dimension (L\*W\*H):243\*113\*66mm

Function: Auto 12V emergency starter, Powerful ISB power

bank, Built-in LED Flashlight

10.0L Gas & 8.0L Diesel

**RoHS CE**



### JUMP STARTER

ART.No. **EP2195**

\*Capacity:3.7V/**16000mAh**(59.2Wh)

\*Type-C Input:QC18W

\*USB Output1:5V/2.1A

\*USB Output2:QC18W

\*starting current :1000A

\*peak current:2000A

\*LED lighting: Light/SOS/Strobe 100LM

\*Applicable to automobile battery voltage :12V

\*Less than 7.0L gasoline/6.5L diesel

\*Dimension:208\*86\*43.6mm

**RoHS CE**



### JUMP STARTER

ART.No. **EP2133**

LCD Screen/Big Capacity/PD65W

Capacity: **20000mAh**

Type C Input/Output: (PD65W)5V/3A,9V/3A,12V/3A,15V/3A,20 V/3.25A

USB Output 1: 5V/3A, 9V/2A, 12V/1.5A

USB Output 2: 5V/3A, 9V/2A, 12V/1.5A

DC Output: 15V/10A

Starter current: 1500A

Peak current: 3000A

Material: Plastic & ABS+pc

Dimension (L\*W\*H):239.5\*100\*57.5mm

Function: Auto 12V emergency starter

Powerful USB power bank, Built-in LED Flashlight

Great for Engine: 10.0L Gas & 8.0L Diesel

**RoHS CE**



### JUMP STARTER

ART.No. **EP2195**

\*Capacity:3.7V/**24000mAh**(88.8Wh)

\*Type-C Input:QC18W

\*USB Output1:5V/2.1A

\*USB Output2:QC18W

\*starting current :2000A

\*peak current:4000A

\*LED lighting: Light/SOS/Strobe 100LM

\*Applicable to automobile battery voltage :12V

\*Less than 10.0L gasoline/10.0L diesel

\*Dimension:257\*90\*44mm

**RoHS CE**



### JUMP STARTER

ART.No. **EP2288**  
Capacity:**6000mAh**  
Woking voltage:14.8V  
Starter current:400A  
Peak current:800A  
USB output:5V/2A,9V/2A,12V/1.5A  
Size:168×91×48MM

**RoHS** **CE**



### JUMP STARTER

ART.No. **EP2287**  
Capacity:**6000mAh**  
Woking voltage:14.8V  
Starter current:400A  
Peak current:800A  
USB output:5V/2A,9V/2A,12V/1.5A  
Size:168×91×48MM

**RoHS** **CE**



### JUMP STARTER

ART.No. **EP2012**  
Capacity:7800mAh  
Start Current:300A  
Peak Current:600A



### JUMP STARTER

ART.No. **EP2015**  
Capacity: **5400 mAh**  
Input: 5V/ 2A  
usb output: 5V/2A; DC: 12 v  
Charging time: 3-4Hrs  
Start current: 400A  
Peak battery: 800A  
Size: 139\*79\*16 mm  
Certificate: CE/FCC/ROHS (1000 sets are available free of charge)



### JUMP STARTER

ART.No. **EP2286**  
Capacity: **10000mAh**  
TYPE-C Charging input: 5V/2A/9V2A  
USB output: 5V/2.1A  
Starting current: 500A  
Peak current: 1000A  
LED lighting: Steady on - Flash -SOS  
Housing material: ABS+PC

**RoHS** **CE**



### JUMP STARTER

ART.No. **EP2043**  
Capacity: **7200mAh** 29.60Wh  
Starting current: 300A  
Peak current: 800A  
USB-A output: 5V-3A,9V-2A, 12V-1.5A(QC3.0)  
USB-C input: 5V-2A, 9V-2A  
Three LED lighting modes

**RoHS** **CE**



### JUMP STARTER

ART.No. **E2125**  
Capacity: 8000mAh  
Starting current: 500A  
Peak battery: 1000A



### JUMP STARTER

ART.No. **EP2042**  
Capacity: **12000mAh** 44.40Wh  
Starting current: 600A  
Peak current 2000A  
USB-A output: 5V-3A, 9V-2A, 12V-1.5A(QC3.0)  
USB-C input: 5V-2A, 9V-2A  
Three LED lighting modes



### JUMP STARTER

ART.No. **EP2007**  
Capacity: **12000mAh** (500pcs can change color)  
Output: 5V/2A  
Input: 5V/2A\*2; 12V, 16V, 9V/3A  
Full charging time: 4 hours  
Start Current: 1000A  
Peak Current: 2000A Size: 175 \* 90 \* 35 mm  
Using temperature: -20°C -60°C / -40°F -120°F  
Cycling Use life: >1000 Times  
LED light (lighting, flash, SOS)

RoHS CE



### JUMP STARTER

ART.No. **EP2288**  
Capacity: 16000 mah  
Starting current: 1000A  
Peak battery: 2000A

RoHS CE



### JUMP STARTER

ART.No. **EP2196**  
Capacity: **20000mAh** (12V jump start)  
Non-load current: 2.5A  
Rated Power: 88.8W  
Start Current: 2000A  
Peak Current: 4000A  
Output: 9V/2A (5-6hrs full recharged)  
Input: 9V/2A  
Starter Size: 238\*48\*103mm  
Operation Temp: -10°C ~ 60°C  
Life Time: >1000 times  
Function: LED Light, Spark Proof, Digital screen, Inflator, Flashlight  
Use: Passenger Car, Motorcycle, Inflator, Flashlight  
Certificate: CE/FCC/ROHS (1000 sets are available free of charge)



### JUMP STARTER

ART.No. **EP2197**  
Capacity: **20000mAh** (12V jump start)  
Non-load current: 2.5A  
Rated Power: 88.8W  
Start Current: 2000A  
Peak Current: 4000A  
Output: 9V/2A (5-6hrs full recharged)  
Input: 9V/2A  
Starter Size: 238\*48\*103mm  
Operation Temp: -10°C ~ 60°C  
Life Time: >1000 times  
Function: LED Light, Spark Proof, Digital screen, Inflator, Flashlight  
Use: Passenger Car, Motorcycle, Inflator, Flashlight  
Certificate: CE/FCC/ROHS (1000 sets are available free of charge)



### JUMP STARTER

ART.No. **EP2025**

\*Capacity:3.7V/10000mAh(37Wh)

\*Type-C Input:QC18W

\*USB Output1:5V/2.1A

\*USB Output2:QC18W

\*starting current :500A

\*peak current:1000A

\*LED lighting : Light/SOS/Strobe

\*Applicable to automobile battery voltage :12V

\*Less than 5.0L gasoline/3.5L diesel

What's in the box:

Jump starter/EC5 jumper cable/Storage bag/User manual/Charging cable

**RoHS CE**



### JUMP STARTER

ART.No. **EP2085B**

Capacity: Wireless **8000mAh** with LED screen

Input: 9 v / 2 a

USB1: 5V/2A USB2 :9V/2A

Charging time: 5 Hrs

Starting current: 1000A

Peak battery: 2000A

Size: 195\*93\*40mm

Wireless charging power: 15WH

Certificate: CE/FCC/ROHS (1000 sets are available free of charge)



### JUMP STARTER

ART.No. **EP2026**

\*Capacity:3.7V/16000mAh(59.2Wh)

\*Type-C Input: QC18W

\*USB Output1:5V/2.1A

\*USB Output2:QC18W

\*DC5.5 Output:12V/6A

\*starting current :1000A

\*peak current:2000A

\*LED lighting: Light/SOS/Strobe 80LM

\*Applicable to automobile battery voltage :12V

\*Less than 7.0L gasoline/6.5L diesel

What's in the box:

Jump starter/EC5 jumper cable/Storage bag/User manual/

Charging cable/Cigarette lighter adapter

**RoHS CE**



### JUMP STARTER

ART.No. **EP2007**

Capacity: 8000mAh

Starting current: 800A

Peak battery: 1500A



### AIR COMPRESSOR

ART.NO. **T1346**  
Material: Fireproof ABS+PC  
Power: 78W  
Voltage: 5V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 19L/min  
Capacity: 4000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1282**  
Material: Fireproof ABS+PC  
Power: 74W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 19L/min  
Capacity: 8000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1456**  
Material: ABS+PC  
Cylinder diameter: 13mm  
Battery capacity: 1100mAh  
Charging voltage: DC 5V/1A  
Power: 37W  
Current: 5A  
Maximum pressure: 150PSI

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1479**  
Material: Fireproof ABS+PC  
Power: 74W  
Voltage: 5V  
Metal cylinder: 17MM  
Max Pressure: 150PSI  
Air Flow: 17L/min  
Capacity: 4000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1216**  
Material: Fireproof ABS+PC  
Power: 74W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 19L/min  
Capacity: 8000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1224**  
Material: ABS  
Power: 100W  
Voltage: 11.1V  
Metal cylinder: 22MM  
Max Pressure: 150PSI  
Air Flow: 22L/min  
Capacity: 6000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1222**  
Material: ABS  
Power: 40W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 20L/min  
Capacity: 4000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1286**  
Material: Fireproof ABS+PC  
Power: 74W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 19L/min  
Capacity: 8000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1478**  
Material: Fireproof ABS+PC  
Power: 74W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 19L/min  
Capacity: 8000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1223**  
Material: ABS  
Power: 40W  
Voltage: 7.4V  
Metal cylinder: 17MM  
Max Pressure: 150PSI  
Air Flow: 18L/min  
Capacity: 4000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1163**  
Material: ABS  
Power: 74W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 25L/min  
Capacity: 5000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1287**  
Material: Fireproof ABS+PC  
Power: 74W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 19L/min  
Capacity: 8000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1289**  
Material: ABS+PC  
Cylinder diameter: 22mm  
Battery capacity: 12000mAh  
Charging voltage: DC 5V/2A  
Power: 120W  
Current: 10A  
Maximum pressure: 150PSI

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1167**  
Material: ABS  
Power: 74W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 25L/min  
Capacity: 4000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1168**  
Material: ABS  
Power: 74W  
Voltage: 7.4V  
Metal cylinder: 19MM  
Max Pressure: 150PSI  
Air Flow: 25L/min  
Capacity: 4000mAh lithium battery

**RoHS CE**



### AIR COMPRESSOR KIT

ART.NO. T1219  
Material:ABS  
Power: 120W  
Voltage: DC9V-16V  
Metal cylinder:25MM  
Tank pressure: 9bar  
Air Flow:35L/min  
Tire replacement fluid capacity: 450ml

RoHS CE



### AIR COMPRESSOR KIT

ART.NO. T1397A  
Material:PP  
Power: 60W  
Voltage: DC12V  
Metal cylinder:19MM  
Max pressure: 120PSI  
Air Flow:18L/min  
Tire replacement fluid capacity: 450ml

RoHS CE



### AIR COMPRESSOR

ART.NO. T1211  
Material: ABS  
Cylinder diameter: 22mm  
Product power: 120W  
Power supply voltage: 12V/100-230V  
Cigarette lighter 12V wire length: 2.8M  
Household wire length: 1.6M  
Inflatable tube length: 0.7m  
Product functions: inflation/lighting/  
pressure measurement/preset tire  
pressure/high flow air blowing/suction

RoHS CE



### AIR COMPRESSOR

ART.NO. T1420  
Material: ABS  
Cylinder diameter: 19mm  
Product power: 120W  
Battery capacity: 2000mah\*4  
Charging voltage: 5V  
Charging cable length: 30CM  
Inflation tube length: 60CM  
Maximum air pressure: 150PSI  
Product functions: starting power supply/  
inflation/blower/exhaust/pressure  
measurement/lighting/strobe/SOS/power bank

RoHS CE



### AIR COMPRESSOR KIT

ART.NO. T1220  
Material:ABS  
Power: 120W  
Voltage: DC9V-16V  
Metal cylinder:19MM  
Tank pressure: 9bar  
Air Flow:18L/min  
Tire replacement fluid capacity: 450ml

RoHS CE



### AIR COMPRESSOR KIT

ART.NO. T1221  
Material:ABS  
Power: 120W  
Voltage: DC9V-16V  
Metal cylinder:23MM  
Tank pressure: 9bar  
Air Flow:25L/min  
Tire replacement fluid capacity: 450ml

RoHS CE



### AIR COMPRESSOR

ART.NO. T1216  
Material: ABS  
Cylinder diameter: 22mm  
Product power: 120W  
Power supply voltage: 12V/100-230V  
Cigarette lighter 12V wire length: 2.8M  
Household wire length: 1.6M  
Inflatable tube length: 0.6m  
Product functions: inflation/lighting/  
pressure measurement/preset tire  
pressure

RoHS CE



### AIR COMPRESSOR

ART.NO. T1225  
Material:ABS  
Power: 120W  
Voltage: AC110-230V/DC12V  
Metal cylinder:22MM  
Max Pressure:150PSI  
Air Flow:22L/min

RoHS CE



### AIR COMPRESSOR KIT

ART.NO. T1396  
Material:PP  
Power: 90W  
Voltage: DC12V  
Metal cylinder:21MM  
Max pressure: 120PSI  
Air Flow:18L/min  
Tire replacement fluid capacity: 450ml

RoHS CE



### AIR COMPRESSOR KIT

ART.NO. T1327  
Material:PP  
Power: 90W  
Voltage: DC12V  
Metal cylinder:31MM  
Max pressure: 120PSI  
Air Flow:18L/min  
Tire replacement fluid capacity: 450ml

RoHS CE



### DC12V AIR COMPRESSOR

ART.NO. T1160  
Material:ABS  
Power: 120W  
Voltage: 12V DC  
Metal cylinder:22MM  
Max Pressure:150PSI  
Air Flow:22L/min

RoHS CE



### AC&DC AIR COMPRESSOR

ART.NO. T1162  
Material:ABS  
Power: 120W  
Voltage: 12V DC/230V AC  
Metal cylinder:22MM  
Max Pressure:150PSI  
Air Flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1457**  
Material: ABS  
Cylinder diameter: 17mm  
Battery capacity: 4000mAh  
Charging voltage: DC 5V/2A  
Power:80W  
Current:7A  
Maximum pressure: 150PSI

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1429**  
Material: ABS  
Cylinder diameter: 17mm  
Battery capacity: 4000mAh  
Charging voltage: DC 5V/2A  
Power:80W  
Current:7A  
Maximum pressure: 150PSI

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1458**  
Material: ABS  
Cylinder diameter: 19mm  
Battery capacity: 3600mAh  
Charging voltage: DC 5V/1A  
Power:80W  
Current:7A  
Maximum pressure: 150PSI

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1460**  
Material: ABS  
Cylinder diameter: 17mm  
Battery capacity: 3600mAh  
Charging voltage: DC 5V/1A  
Power:80W  
Current:7A  
Maximum pressure: 150PSI

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1431**  
Material: ABS  
Cylinder diameter: 17mm  
Battery capacity: 4000mAh  
Charging voltage: DC 5V/2A  
Power:80W  
Current:7A  
Maximum pressure: 150PSI

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1421**  
Material: ABS  
Cylinder diameter: 17mm  
Battery capacity: 4000mAh  
Charging voltage: DC 5V/2A  
Power:80W  
Current:7A  
Maximum pressure: 150PSI

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1217-3000mAh/4000mAh**  
Material:ABS  
Voltage: 7.4V  
Metal cylinder:17MM  
Max Pressure:150PSI  
Air Flow:19L/min  
Capacity:3000mAh/4000mAh lithium battery

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1423**  
Material: ABS  
Cylinder diameter: 17mm  
Battery capacity: 4000mAh  
Charging voltage: DC 5V/2A  
Power:80W  
Current:7A  
Maximum pressure: 150PSI

RoHS CE



### AIR COMPRESSOR

ART.NO. **T1427**  
 Material: ABS  
 Cylinder diameter: 17mm  
 Battery capacity: 4000mAh  
 Charging voltage: DC 5V/2A  
 Power:80W  
 Current:7A  
 Maximum pressure: 150PSI

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1426-3000mAh/4000mAh**  
 Material:ABS  
 Voltage: 7.4V  
 Metal cylinder:17MM  
 Max Pressure:150PSI  
 Air Flow:19L/min  
 Capacity:**3000mAh/4000mAh** lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1154-1500mAh/2000mAh**  
 Material:ABS  
 Voltage: 7.4V  
 Metal cylinder:17MM  
 Max Pressure:150PSI  
 Air Flow:19L/min  
 Capacity:**3000mAh/4000mAh** lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1154A-1500mAh/2000mAh**  
 Material:ABS  
 Voltage: 7.4V  
 Metal cylinder:17MM  
 Max Pressure:150PSI  
 Air Flow:19L/min  
 Capacity:**3000mAh/4000mAh** lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1120-B**  
 Material:ABS  
 Power:80w  
 Voltage:12V  
 Cylinder diameter:19MM  
 Maximum pressure:150PSI  
 Air flow:22L/min  
 Battery capacity:2000mAh\*2

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1158**  
 Material:ABS  
 Power:80w  
 Voltage:12V  
 Cylinder diameter:17MM  
 Maximum pressure:150PSI  
 Air flow:22L/min  
 Battery capacity:2000mAh\*3

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1218-1500mAh/2000mAh**  
 Material:ABS  
 Voltage: 7.4V  
 Metal cylinder:17MM  
 Max Pressure:150PSI  
 Air Flow:19L/min  
 Capacity:**3000mAh/4000mAh** lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1459**  
 Material: ABS  
 Cylinder diameter: 19mm  
 Battery capacity: 4500mAh  
 Voltage:11.1V/DC12V  
 Power:80W  
 Current:7A  
 Maximum pressure: 150PSI

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1428**  
 Material: ABS  
 Cylinder diameter: 17mm  
 Battery capacity: 4000mAh  
 Charging voltage: DC 5V/2A  
 Power:80W  
 Current:7A  
 Maximum pressure: 150PSI

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1430**  
 Material: ABS  
 Cylinder diameter: 17mm  
 Battery capacity: 4000mAh  
 Charging voltage: DC 5V/2A  
 Power:80W  
 Current:7A  
 Maximum pressure: 150PSI

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1226-4500mAh/6000mAh**  
 Material:ABS  
 Voltage: 7.4V  
 Metal cylinder:17MM  
 Max Pressure:150PSI  
 Air Flow:19L/min  
 Capacity:**3000mAh/4000mAh** lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1165C-1500mAh/2000/6000mAh**  
 Material:ABS  
 Voltage: 7.4V  
 Metal cylinder:17MM  
 Max Pressure:150PSI  
 Air Flow:19L/min  
 Capacity:**3000mAh/4000mAh** lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1072**  
 Material:ABS  
 Power:80w  
 Voltage:12V  
 Cylinder diameter:22MM  
 Maximum pressure:140PSI  
 Air flow:35L/min

**RoHS CE**



### AIR COMPRESSOR

ART.NO. **T1431-3000mAh/4000mAh**  
 Material:ABS  
 Voltage: 7.4V  
 Metal cylinder:17MM  
 Max Pressure:150PSI  
 Air Flow:19L/min  
 Capacity:**3000mAh/4000mAh** lithium battery

**RoHS CE**



### AIR COMPRESSOR

ART.NO. T1075  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:22MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1053  
Material:ABS  
Power:100w  
Voltage:12V  
Cylinder diameter:22MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T908  
Material:ABS  
Power:100w  
Voltage:12V/230V  
Cylinder diameter:19MM  
Maximum pressure:250PSI  
Air flow:19L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T958  
Material:ABS  
Power:80w  
Voltage:12V  
Cylinder diameter:16MM  
Maximum pressure:300PSI  
Air flow:16L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1080  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:22MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1080  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:22MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1070  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:19MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1071  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:22MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T908  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:30MM dual-cylinder  
Maximum pressure:150PSI  
Air flow:60L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1032  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:30MM dual-cylinder  
Maximum pressure:150PSI  
Air flow:60L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1072  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:22MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1042  
Material:ABS  
Power:80w  
Voltage:12V  
Cylinder diameter:19MM  
Maximum pressure:150PSI  
Air flow:19L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T913  
Material:ABS  
Power:80w  
Voltage:12V  
Cylinder diameter:19MM  
Maximum pressure:300PSI  
Air flow:19L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T976  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:30MM  
Maximum pressure:150PSI  
Air flow:30L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1059  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:22MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE



### AIR COMPRESSOR

ART.NO. T1074  
Material:ABS  
Power:120w  
Voltage:12V  
Cylinder diameter:19MM  
Maximum pressure:150PSI  
Air flow:22L/min

RoHS CE

